

WYRESTORM ENADO CONTROLLER

ENA-001-001 Web Server Controller With Extensive I/O

ESTIMATED
RELEASE:
Q1 2014



KEY FEATURES

- Out of the box, cross-platform control solution compatible with any Internet-enabled product from any manufacturer, with any browser, any operating system and screen size.
- Enables control of an unlimited number of user devices with no license fees and a one-time, low cost
- Single Update Technology ensures A/V systems are up to date, instantly updating every connected device at the touch of a button.
- No programming software and elegant, pre-configured templates makes integration with WyreStorm (and other) products simple.
- Achieves a Total WyreStorm A/V Distribution and Control Solution complete with end-to-end video, audio and control via a single cable per zone.

WyreStorm Enado redefines integrators' ability to control AV distribution systems by combining powerful hardware and intuitive, cross-platform software to create an end to end AV distribution and control system that is always on, updated and accessible.

The system can be programmed via a simple but advanced web browser application and is designed to offer maximum control flexibility eliminating the requirement for proprietary applications. The powerful software can run on any client device that offers a web interface, the controller is ideal for both professional and residential control.

ADDITIONAL FEATURES & BENEFITS

- Sleek, 1RU design allows for installation flexibility in a rack, cabinet or on a shelf.
- Extensive I/O to control devices through multiple IR, RS-232 serial, IP, contacts and relays.
- Instantaneous, intuitive control from a smartphone, tablet, TV, PC or MAC browser.
- Full remote access, enables control and programming from any web enabled device including smartphones, tablets, Smart TVs, PCs and MACs.
- On screen optional video integration function to facilitate visual control. Requires WS-EN-VID-IP-1 for each video feed.
- Advanced processor delivers exceptional performance and control of connected devices including video, audio, lighting etc.

IN THE BOX

1 x WyreStorm Enado Controller
1 x Mounting Brackets (Pair)

8 x Dual plug IR emitters
8 x 3.5mm to 3.5mm IR cable

4 x RS232 male to female cable
2 x Sensor IO phoenix connectors

SPECIFICATIONS




NETWORK

Ethernet Ports + Speed	8x10/100 (8023AB)
USB 2.0	1

CONTROL

Sensor Inputs	4
Sensor Outputs	4
IR Ports (3.5mm)	16
IR Learner	2 1 x 3.5mm (rear) + Learning window (front)
IR Blaster (front)	Yes
RS-232 Serial	4 DB9 Male

Dimensions (HxWxD)	1.93" (49mm) x 17.32" (440mm) x 11.42" (290mm)
Weight	Approx. 8.7lbs (3.95kg)
Power Supply	Input: 100-240V/AC (C14)



Follow us on Twitter
@WyreStorm1



Watch us on Youtube
WyreStormHD





Like us on Facebook
WyreStorm Technologies



Connect with us on
LinkedIn
WyreStorm Technologies

KEY SYSTEM FEATURES

- Add Enado to any WyreStorm matrix for quick, straight forward integration and control.
- Create a Total WyreStorm Distribution & Control Solution with full audio, video and control solution via a single cable per zone.
- Remotely and securely access, configure, add to or control the A/V system from anywhere and through any Internet browser, from anywhere.
- Browser-based, intuitive user interface and controller enables any Internet-enabled device to become an AV system control device.



Follow us on Twitter
@WyreStorm1



Watch us on Youtube
WyreStormHD



Like us on Facebook
WyreStorm Technologies



Connect with us on
LinkedIn
WyreStorm Technologies